



#### OPEN ACCESS

SUBMITTED 15 August 2025

ACCEPTED 11 September 2025

PUBLISHED 13 October 2025

VOLUME Vol.07 Issue 10 2025

#### CITATION

Otoyo S. Okon, Dr. Gift, Chukwu-Okeah, & Christopher M. Osazuwa. (2025). Prevalence And Patterns Of Workplace Accidents In Selected Oil Servicing Companies In Port Harcourt, Nigeria. The American Journal of Social Science and Education Innovations, 7(10), 23–47.

<https://doi.org/10.37547/tajssei/Volume07Issue10-02>

#### COPYRIGHT

© 2025 Original content from this work may be used under the terms of the creative commons attributes 4.0 License.

# Prevalence And Patterns Of Workplace Accidents In Selected Oil Servicing Companies In Port Harcourt, Nigeria

## Otoyo S. Okon

Department of Geography and Environmental Management,  
Faculty of Social Sciences, University of Port Harcourt, Port  
Harcourt, Nigeria

## Dr. Gift, Chukwu-Okeah

Department of Geography and Environmental Management,  
Faculty of Social Sciences, University of Port Harcourt, Port  
Harcourt, Nigeria

## Christopher M. Osazuwa

University of Port Harcourt, Port Harcourt, Nigeria

**Abstract:** Workplace accidents remain a significant concern in high-risk industries, such as oil servicing, where employees face substantial safety risks due to complex operations and hazardous environments. This study examined the prevalence of workplace accidents, their causes, and how they occur in specific oil servicing firms in Nigeria. The issue is that safety management remains inadequate, despite existing regulations. This results in numerous accidents and health hazards at work. The study aims to identify the types of incidents and their frequency, investigate underlying causes, and suggest methods to enhance workplace safety. Grounded in Heinrich's Domino Theory of accident causation, the research adopts a descriptive survey design to explore accident trends and contributing behaviours. Data were collected using structured questionnaires distributed to 120 respondents across four oil servicing companies. Purposive sampling ensured that participants were operational staff directly exposed to safety-critical environments. Quantitative data were analysed using chi-square tests, percentages, and frequency distribution tables to examine the relationships between safety measures and the

prevalence of accidents. The findings reveal that the most common types of accidents include slips, falls, injuries from equipment, and exposure to hazardous substances. Contributing factors encompass improper use of personal protective equipment (PPE), inadequate safety training, and poor enforcement of safety regulations. There was a strong correlation between the effectiveness of safety measures and the number of accidents. The article concludes that regular training, strict enforcement of safety protocols, and investment in new safety equipment are all crucial. The study recommends strengthening regulatory oversight and cultivating a proactive safety culture to mitigate risks in the oil servicing sector.

**Keywords:** Workplace accidents, oil servicing companies, safety management, personal protective equipment, Heinrich's Domino Theory, occupational health, risk reduction.

**Introduction:** The oil servicing industry is vital to Nigeria's energy infrastructure and economic framework, especially in Port Harcourt, Rivers State, where significant upstream and midstream operations are concentrated (Poi & Okwandu, 2021; Scott, 2022). The high-risk nature of oilfield operations, characterised by flammable substances, heavy machinery, confined spaces, and hazardous chemicals, presents significant occupational safety challenges, particularly in developing economies with inadequate regulatory oversight (Razalia et al., 2025; Tagiyev & Ismayilova, 2024).

Fossil fuels currently dominate global energy supply chains, accounting for over 70% of energy consumption and playing an integral role in economic activities in developed and developing countries (Zhao et al., 2025; Rusanov et al., 2024). In resource-rich nations such as Nigeria, oil exports constitute a substantial share of GDP and employment, highlighting the necessity for stringent workplace safety standards within the industry (Addison & Roe, 2024). Occupational health burdens remain significant. The World Health Organisation (WHO, 2021) and Takala et al. (2022) estimate that work-related risk factors account for a considerable proportion of musculoskeletal disorders, chronic respiratory diseases, cancers, and workplace trauma.

International organisations like the ILO advocate for

preventive safety strategies (ILO, 2023); however, research indicates ongoing deficiencies in implementation, especially concerning PPE utilisation, emergency response, and real-time hazard monitoring in oil and gas operations (Rzaeva et al., 2024; Andrew, 2025). The challenges are particularly pronounced in Port Harcourt, where local companies frequently lack adequate training, compliance, and reporting mechanisms (Promise et al., 2024; Nur, 2020).

Data from Nigeria indicate that falls from heights, slips, trips, repetitive motion disorders, and equipment-related injuries represent some of the most common and serious types of workplace accidents (Campo et al., 2020). Underreporting and insufficient documentation, exacerbated by long work hours and lack of supervision, hinder proactive safety interventions (Kryvenko et al., 2021; Jayady et al., 2024; Scandelai, 2025). In addition to the direct physical effects, workplace accidents negatively impact organisational performance, diminish employee morale, and increase operational costs associated with insurance, legal claims, and high turnover (Zhao et al., 2023; Suseno, 2025; Yeshitila et al., 2021).

### Statement of the Problem

Despite implementing policies through the Petroleum Industry Bill and regulatory initiatives by the Nigerian Upstream Petroleum Regulatory Commission, enforcement continues to be inconsistent and inadequate (Nwankwo et al., 2022). The discrepancy between policy and practice contributes to avoidable workplace injuries, worsened by informal work arrangements, outdated training models, and inadequate safety leadership (Tubosun, 2015; Adebisi et al., 2021).

Workplace accidents in Nigeria's oil servicing industry, particularly in Port Harcourt, remain shockingly prevalent and severe, despite legislative changes such as the Petroleum Industry Bill and safety initiatives by the Nigerian Upstream Petroleum Regulatory Commission (Nwankwo et al., 2022; Tubosun, 2015). Inconsistent enforcement and varying compliance rates among companies across industries reveal a significant gap between policy formulation and practical implementation (Adebisi et al., 2021).

Insufficient Health, Safety, and Environment (HSE) training, inadequate hazard identification, and

insufficient real-time monitoring techniques exacerbate the risk landscape. Operational complexity increases worker susceptibility when combined with high-pressure settings, fast-paced work, and obsolete training methods (Smaz & Sahroni, 2021; Cabral et al., 2023).

Inadequate incident documentation also hinders root cause analysis; underreporting hides the full scope of occupational dangers (Kryvenko et al., 2021). These systematic constraints compromise the efficacy of current safety frameworks and impede data-driven safety planning. Fatigue, poor supervision, and longer working hours increase risk exposure, as well as human mistakes and operational mishaps (Scandelai, 2025). In Port Harcourt, local oil servicing companies, both international and indigenous, continue to report falls from height, equipment-related injuries, slips, trips, and repetitive motion disorders as usual occurrences (Campo et al., 2020). Apart from their obvious physical dangers, these occurrences cause long-term productivity decline, higher turnover, and greater financial strain connected to compensation, insurance premiums, and lawsuits (Zhao et al., 2023; Suseno, 2025). Port Harcourt's concentration of oil servicing firms, including multinationals such as Schlumberger and Halliburton, alongside local entities like Oando and Oil Data, provides a distinctive context for evaluating occupational hazards within this sub-sector (Poi & Okwandu, 2021; Scott, 2022). Localised empirical studies are limited, constraining the development of context-sensitive safety interventions. This study aims to identify the prevalent workplace accidents in Port Harcourt's oil servicing industry, examine their patterns and implications for safety management, and enhance occupational health results in Rivers State.

### Scope of the Study

Geographically, this study emphasises Port Harcourt, Rivers State, a hub of Nigeria's oil and gas industry, as it focuses on upstream and downstream activities and ongoing safety concerns. The research investigates the prevalence, patterns, and causes of workplace accidents among employees of selected oil servicing companies in Port Harcourt, Nigeria, with over 55,000 employees (CAC, 2018). Although localised, the study references global safety norms and practices to contextualise its findings within the international discussion.

### Methodology

This research employed a descriptive cross-sectional survey design to analyse the prevalence, patterns, and causes of workplace accidents among employees of selected oil servicing companies in Port Harcourt, Nigeria. Port Harcourt was chosen due to its significant oil and gas operations concentration and associated occupational hazards (Ezenwa, 2021). A multi-stage sampling technique was utilised to select six major firms: Shell, ExxonMobil, TotalEnergies, Chevron, ENI/Agip, and Texaco. This was followed by stratified random sampling of 450 employees from the technical, logistics, and HSE departments (Onyekachi, 2022). Data were collected through a structured questionnaire of closed-ended and Likert-scale items focusing on accident frequency, training, and safety compliance. Interviews with key informants, specifically HSE managers, were conducted to supplement the survey responses. Quantitative data were analysed using SPSS version 25, employing descriptive statistics and logistic regression, while qualitative data underwent thematic analysis (Okoye & Okolie, 2020). Ethical approval was obtained, ensuring informed consent and confidentiality. This methodological approach aligns with recommendations for assessing safety outcomes in high-risk sectors in developing economies (Ogundele, Musa, & Eke, 2022).

### Conceptual Review

#### Workplace

The modern conceptualisation of the workplace in occupational health and safety (OHS) research has evolved from a static physical location to encompass a socio-technical, psychological, and legal environment shaped by complex interactions among human, organisational, and technological systems.

Contemporary understanding of occupational health and safety (OHS) has moved beyond the simplistic view of the workplace as merely a physical site. Instead, characterised by intricate interactions among human, organisational, and technological elements, it now includes a socio-technical system encompassing psychological variables and legal ramifications. In high-risk industries such as the oil and gas sector, where effective occupational safety hinges not solely on technical measures but also on the overarching organisational culture, legal standards, and workers'

behaviours, this holistic approach is especially pertinent (AKYILDIZ, 2023) (Ajmal et al., 2021; Liu et al., 2020).

Improving workplace safety in high-risk settings depends on integrating safety management techniques and a strong safety culture. OHS 4.0 stresses using new technologies to harmonise human and machine interactions, avoiding occupational accidents and health problems (AKYILDIZ, 2023). Recent research shows that a good organisational culture combined with efficient safety training can significantly reduce workplace accidents and injuries, therefore supporting the use of safety management systems fit for the particular circumstances of high-risk sectors (Ajmal et al., 2021; Liu et al., 2020). Furthermore, bureaucratic OHS procedures can undermine good safety leadership by emphasising the importance of simplifying administrative duties in favour of direct involvement with safety practices (Phelps et al., 2024).

The efficacy of health and safety policies depends on management-employee cooperation. Employing identifying and reducing possible hazards, health and safety committees can significantly lower the probability of workplace injuries (Awini et al., 2023). The modern OHS scene emphasises the need for thorough methods, including safety technology and legislation and the empowerment of workers by participating in safety debates and decision-making processes (O'Connor et al., 2020; Omofowa et al., 2021).

Advanced by the European Agency for Safety and Health at Work (EU-OSHA, 2023), European regulations generally define the workplace as any location under employer control, including offshore platforms and digital operations. Frick et al. (2020) utilise systems theory to characterise the workplace across micro (person), meso (organisational), and macro (policy) levels. Emphasising psychological aspects, Cox and Griffiths (2020) identify stress, workload, and interpersonal interactions as vital to safety outcomes. According to Hämäläinen et al. (2022) and Pousette et al. (2023), continuous learning within nested systems shaped by informal norms, environmental unpredictability, and task complexity contributes to safety.

Modern challenges like remote work and subcontracting make it increasingly difficult to manage safety. Antonsen (2021) and Zacharatos and Barling (2021) emphasize the importance of culture, leadership, and trust in shaping

how safety is perceived and followed. However, Langaa Jensen et al. (2020) point out that temporary workers often find themselves without access to formal safety systems, leaving them vulnerable. Additionally, as shown by Vänän and Toivanen (2023) in their research on virtual workstations in the oil and gas industry, the rise of digitalization introduces new psychosocial hazards that we need to address together.

OSHA (2021) in the United States expands the definition of workplace to encompass mobile and home-based settings, thus supporting the socio-technical paradigm promoted by Goetsch (2021), in which safety depends on engineering design combined with behavioural measures. LaMontagne et al. (2022) associate physical safety with well-being through the Total Worker Health® paradigm. While Zohar and Luria (2020) emphasise the importance of safety climate in influencing outcomes, Burke et al. (2021) and Geller (2022) stress the significance of training and behavioural reinforcement. DeJoy (2020) and Quick & Tetrick (2021) conceptualise the workplace as a venue for psychological contracts and systematic intervention sites.

Huang et al. (2020). Al-Sagr and Jamal (2021), and Lee and Park (2022) strengthen the workplace as an integrated system of physical, cognitive, and cultural components throughout Asia and the Middle East. Their inputs show worries about automation, organisational fairness, and participatory safety in oil-rich countries. Fathi & Hashemi (2023) and Al-Hadhrani (2021) investigate how punitive policies and expatriate labour rules influence risk perception and reporting in Iran and the UAE.

African studies increasingly present the workplace within contextualised paradigms reflecting informality, labour segmentation, and regulatory inadequacy. Umeokafor et al. (2020) see it as a risk-laden social setting formed by policy holes and organisational culture. While Oke and Ogunsemi (2022) discuss a dualistic safety system divided between formal and informal workforces, Chikere and Nwosu (2021) emphasise resilience-building via communication and leadership response. Examined by Awoyemi (2023), legal definitions expose difficulties in enforcement under Nigerian law.

Cultural and psychosocial aspects are also rather important. While Ogbonna and Onoh (2022) point out safety culture as a factor influencing procedural

compliance, Edeh and Eze (2021) connect stress and bad communication to accident risks. Examining ergonomic hazards and gender exclusion, Akintunde and Yusuf (2020) and Adebayo and Salami (2022) demonstrate how inclusiveness influences access to safety.

Public health points of view (Nwachukwu & Adewunmi, 2023) and socio-political views (Akinwale, 2021) help to deepen this multidimensional awareness.

These conceptual models provide the workplace as an interactive, fluid system where physical infrastructure, regulatory systems, human behaviour, and institutional culture merge to influence safety results. Examining workplace accidents in Port Harcourt's oil servicing sector, where high-risk situations interact with socio-economic complexity and changing labour structures, offers a strong theoretical basis.

### **Workplace Accident**

Due to its consequences for health, productivity, and organisational effectiveness, workplace accidents are complicated phenomena that have drawn significant academic interest (Chukwuma, 2025). Often, these occurrences are described as unplanned ones, causing damage to property, disease, or injury during work operations (Saragih & Fitriani, 2024; Priyanka & Basaria, 2023). The idea of workplace accidents has changed with time to reflect theoretical developments, technical change, and industrial growth (Anderson et al., 2023; Smaz & Sahroni, 2021).

Modern methods include safety management systems like Hazard Identification, Risk Assessment, and Risk Control (HIRARC), which enable companies to methodically find and reduce workplace dangers (Saragih & Fitriani, 2024; Priyanka & Basaria, 2023). This approach is necessary in high-risk industries like oil servicing, where proactive risk identification is essential.

Including the Resource-Based View (RBV), Chukwuma (2025) underlines the strategic relevance of organisational skills and safety culture in accident prevention. This point of view connects workplace accidents to more general organisational dynamics, including leadership, communication, and resource allocation. Sothivanan et al. (2025) equally stress the importance of proactive leadership and communication in building efficient safety cultures. Understanding workplace accidents still depends on human factors. Cognitive failures, caused by stress, weariness, or

habitual exposure, are major accident causes, according to Anderson et al. (2023). These results change the emphasis of workplace safety from technical failures to behavioural and psychological elements.

Regional studies have provided more context for these results. For example, Putri et al. (2024) link inadequate supervision, knowledge deficits, and SOP deviation with higher accident rates in Southeast Asia. These revelations ring true in Nigeria's oil servicing environment, where comparable conditions exist. Sudiarno and Maharani (2024) also support a hierarchy of control theory, prioritising preventative safety measures. Accidents have significant socio-economic effects as well. Juhari et al. (2023) show that accidents affect organisational reputation, morale, and production in addition to physical damage. These results are especially noticeable in sectors vital to national economies, like oil and gas in Nigeria. Despite legal obstacles in Nigeria, global best practices provide helpful tools to improve worker safety in Port Harcourt's oil service firms. Though few, local research supports the idea that loose SOP compliance, inadequate supervision, and poor training increase accident risk (Chukwuma, 2025; Putri et al., 2024)

### **Classification Of Workplace Accidents**

Particularly in high-risk industries like oil servicing, classification of workplace accidents is a basic instrument in occupational health and safety (OHS) research and practice. Accidents are often classified by severity, impact, and outcomes, ranging from deaths and serious injuries to minor injuries and property damage. This classification supports efficient risk management, action plans, regulatory reporting, and statistical analysis (EU-OSHA, 2021). International frameworks, notably those created by the European Agency for Safety and Health at Work (EU-OSHA), characterise workplace accidents as separate occurrences resulting in physical or psychological damage. Categories are damage-only occurrences, mild injuries not requiring leave, reportable injuries causing work absence, and fatal injuries. National safety policies and insurance procedures throughout the EU are based on this categorisation (EU-OSHA, 2021; HSE, 2022).

Researchers contend that these systems reflect more profound epistemic beliefs about risk and causality than just administrative ones. For instance, Lundberg et al. (2020) suggest a multi-causal model linking latent



organisational elements with minor and catastrophic occurrences. Carroll and Fahlbruch (2023) also advocate a continuum-based approach instead of a binary classification, stressing how low-severity events sometimes hide warning signs of significant risks. One common problem is misclassification. Emphasising the requirement of differentiating reportable from recordable injuries, Weber and Krahé (2022) argue that underreporting hinders proactive safety actions, particularly in subcontracted oil activities. Giraud and Montmayeul (2022) define "functional damage" as operational disturbances including equipment failure, which, while non-injurious, indicate systematic flaws.

Furthermore, job injuries connected to mental health are becoming acknowledged. Cox and Griffiths (2021) support including post-incident anxiety, stress disorders, and psychological trauma into official classification systems. Arguing that delayed-onset injuries, however underreported, make a significant share of occupational impairment, Rosness and Antonsen (2024) add temporal differences between acute and cumulative injuries to broaden classification.

However, Hollnagel (2021) attacks traditional classifications from a systems viewpoint as reactive and linear. He suggests using the Functional Resonance Analysis Method (FRAM) to show how tiny changes in routine operations could snowball into mishaps. Supporting this perspective, Grabowski and Roberts (2020) demonstrate that even property damage occurrences can trigger major events in energy and maritime industries, thereby requiring their inclusion in safety analytics. Emphasising the inclusion of near-miss and property-damage events into loss control plans, OSHA keeps rigorous rules for categorising events into fatal, recordable, and non-recordable injuries in the United States (Vineyard, 2009; Abdalla et al., 2018; Salminen, 2023). Farooq (2025) likewise demonstrates that near misses connected to equipment in oil servicing frequently precede significant incidents.

Accident classification in African and Asian settings has to consider informal labour networks and less rigorous regulation. Especially in industries with cumulative ergonomic risks, Yadav (2020) and Alnuaimi (2022) support adding near-misses and mild injuries to official records. Namumba, Mushabati (2018), and Dodoo and Al-Samarraie (2021) contend for region-specific models sensitive to economic impact and recurrence

probability. Classifications in Nigeria's oil servicing sector largely follow worldwide standards but are modified for local reality, including regulatory constraints and informal labour practices. While non-fatal injuries include burns, respiratory problems, and psychological trauma (Ukpong-Udo, 2022), fatal incidents often follow pipeline explosions, gas flaring, and mechanical failures (Adim & Mezeh, 2020). Though common, minor injuries are mostly unreported as they are important early signs of systemic collapse (Eyayo, 2014; Agabe, 2023). Incidents of property damage, from environmental spills to equipment failure, are increasingly acknowledged as forerunners of significant accidents. Akalonu et al. (2017) and Benson (2021) contend that these occurrences should be treated with the same urgency as injury-related ones because of their systematic consequences.

New creative models keep appearing. Revealing trends like night-shift injuries and third-party equipment failures, Ekong and Ogunbanwo (2023) suggest categorisation according on time, severity, equipment type, and work shift. Digital solutions are also improving classification methods; Adakporia and

Ajiroghene (2020) piloted AI-driven reporting apps that automatically categorise events into severity levels, indicating a possible paradigm change in safety management in Nigeria. The trend across worldwide, regional, and sector-specific settings is towards integrated, context-aware classification systems covering psychological, functional, and systematic aspects. This development shows the intricacy of industrial risk environments, particularly in oil servicing, where even minor or non-injury occurrences could indicate more profound structural flaws.

### Legal Frameworks in Nigeria

Occupational safety in Nigeria's oil servicing industry is governed by a multi-tiered legal framework designed to align domestic practices with international safety standards. Key regulatory instruments include the National Oil Spill Detection and Response Agency (NOSDRA) environmental compliance requirements, the Department of Petroleum Resources (DPR) safety policies, and the Factories Act (Cap F1, LFN 2004). These guidelines are crucial given the hazardous working conditions prevalent in oil servicing organisations. Nigeria's primary legislation on worker safety is the Factories Act. It outlines, among other responsibilities,

employer obligations such as conducting regular inspections, providing personal protective equipment (PPE), and maintaining safe working conditions (Edem et al., 2021). Enforcement remains inadequate despite a strong legislative intent; research indicates low compliance levels, primarily due to regulatory inefficiencies and employer neglect (Olaniran & Akinbile, 2023; Zailani et al., 2022). Furthermore, persistent accidents in the oil industry highlight the gaps between policy and actual implementation (Esan et al., 2020).

The DPR's safety system particularly targets the oil and gas sector. It enforces regular safety checks and requires basic training via the Minimum Industry Safety Training for Downstream Operations (MISTDO). Though many companies satisfy training criteria, incorporating acquired safety measures into everyday operations remains uneven (Genty et al., 2022).

By requiring oil spill contingency planning and spill damage mitigation, NOSDRA's regulatory supervision, focused on environmental safety, indirectly promotes occupational health (Zailani et al., 2022; Esan et al., 2020). However, enforcement gaps exist; some argue that lax regulatory action could increase worker exposure (Olaniran & Akinbile, 2023). Ongoing issues prevent the complete realisation of these legal frameworks. Barriers include insufficient worker training, inconsistent enforcement, and a weak culture of compliance (Bashar et al., 2024). Furthermore, under-reporting of accidents, driven by fear of punishment or reputational damage, distorts workplace safety assessments and hinders policy development (Genty et al., 2022). These systemic issues highlight a critical need for changes in organisational culture towards genuine safety involvement and proactive risk management in the oil servicing sector.

### **Port Harcourt, Rivers State**

Port Harcourt, the capital of Rivers State, is a pivotal industrial city in Nigeria's Niger Delta, geographically positioned between Latitude 4.6667°N to 5.0000°N and

Longitude 6.8833°E to 7.1667°E. Covering approximately 369 km<sup>2</sup>, it is a central hub for oil and gas operations, shaping its socio-economic and urban development since its colonial founding in 1912 (Bisco et al., 2021; Echendu & Georgeou, 2021). Its significance is further emphasized by its strategic location and the presence of key oil servicing firms that drive both economic activity and occupational exposure to workplace hazards.

The city's coastal landscape is characterised by mangrove swamps, deltaic plains, and various soil types influenced by industrial activity. Variability in soil nutrients, particularly deficiencies in potassium and nitrogen, has been observed, with central commercial areas exhibiting relatively higher fertility due to intensive land use (Eyetan & Ozabor, 2021; Echendu & Georgeou, 2021). Industrialisation, urban sprawl, and inadequate planning contribute to environmental challenges, including flooding and land degradation (Momirski et al., 2021; Evoh et al., 2022; Alilonu et al., 2023).

Port Harcourt is geologically underlain by Benin, Agbada, and Akata Formations, sedimentary structures crucial for petroleum systems (Okeke et al., 2021; Alagoa et al., 2022). The region features three dominant soil types: (1) coastal marine sediments that support mangrove vegetation, (2) alluvial soils with high organic matter, yet they are prone to salinity and odour, and (3) nutrient-rich levee loams in inland areas, although often limited by acidity and stratification (Okonkwo & Ogah, 2023; Ezeaku & Ogundele, 2020; Ibe & Ugochukwu, 2024). Seasonal flooding and sedimentation from the Niger and Benue Rivers shape the ecological and agricultural dynamics of the delta (Nwachukwu & Egbunike, 2022; Ogunbiyi & Fajemirokun, 2021). These biophysical and industrial characteristics form the environmental backdrop for oil servicing companies. The interaction between environmental stressors and occupational settings significantly contributes to the region's pattern and prevalence of workplace accidents.

## Map of Rivers State




Figure 1: Showing Rivers State Map.

## Theoretical Framework

### The Human Factor Theory

Using human factors theory as a starting point, this paper investigates the causal factors and trends of workplace accidents within oil servicing organisations. The hypothesis, derived from Heinrich's groundbreaking 1931 work, emphasises human error as a primary source of accidents, suggesting that dangerous behaviours account for a significant proportion of industrial mishaps (Jiang et al., 2020). While previously criticised for overemphasising personal responsibility, the theory has evolved to encompass organisational, cognitive, and systemic factors that contribute to accident causation (Nwankwo et al., 2021). Modern interpretations of Human Factors Theory include concepts such as Reason's Swiss Cheese Model and the Human Factors Analysis and Classification System (HFACS). Particularly relevant in high-risk sectors like oil and gas, these systems-based approaches provide a comprehensive analysis of accidents across various organisational levels (Nwankwo et al., 2021). They identify both active failures, typically attributed to immediate human mistakes, and latent conditions, such as supervisory gaps and procedural flaws, that precede accidents (Lin et al., 2021).

Key assumptions supporting this theory include: (1) recognising human fallibility as an inherent quality requiring management rather than punitive action; (2) understanding that a synergistic interaction of organisational, environmental, and technical elements shapes workplace behaviours; and (3) acknowledging that cognitive-emotional stressors, such as weariness and decision-making pressures,

greatly influence safety outcomes. This theory is particularly relevant in Port Harcourt's oil servicing operations, characterised by labour intensity and increased vulnerability to human errors resulting from long working hours and environmental stressors. The systematic nature of the theory enables methodical data collection on risky behaviours, cognitive stressors, and organisational shortcomings, thereby facilitating a thorough examination of accident frequency in this sector.

Empirical studies confirm the significance of this framework. For instance, Bello and Adeleke (2021) noted that avoidable human errors constitute a substantial portion of reported offshore incidents in Nigeria, often exacerbated by insufficient communication and ergonomic issues. Eze et al. (2023) also emphasised the link between accident frequency in Port Harcourt and inadequate safety training, thereby complementing the HFACS-OGI framework by identifying resource and supervisory shortcomings. Such findings resonate with the recommendations of contemporary safety researchers who advocate for resilience-oriented systematic interventions to enhance safety. Therefore, the Human Factors Theory serves as a robust foundation for developing data instruments, classifying occurrences, and creating intervention strategies for this study. It fosters a shift towards organisational learning and proactive safety systems and supports predictive modelling for the probability of accident incidence.

Critics of the theory remain, however. Earlier models have been criticised for overlooking the influence of broader structural and policy contexts while being



unduly reliant on behaviourist approaches. However, modern versions of the framework have rectified these flaws through integrated, system-oriented models, confirming the continued significance of Human Factors Theory in addressing complicated safety issues in industrial settings.

### Empirical Review

#### Common Types of Workplace Accidents in the Oil Sector

Workplace accidents at oil and gas servicing companies remain a significant concern, especially in high-risk areas like Nigeria's Niger Delta. These incidents endanger employee safety and health, undermining operational efficiency and long-term viability. Research has frequently identified common types of accidents, each associated with different underlying processes and repercussions, including slips and falls, burns, electrocution, equipment failures, and chemical exposures.

- Falls and Slips

Slips and falls are among the most frequently reported workplace accidents in industrial settings. In the oil and gas industry, hazardous surfaces, inadequate lighting, and insufficient hazard anticipation often contribute to these incidents. Although healthcare environments report similar falls due to slippery surfaces and obstructed pathways, the construction and extraction sectors have experienced particularly fatal falls from heights (Adeyemo, 2024; Juhari et al., 2023). Notably, amongst contract-based employees operating in dynamically hazardous areas, behavioural lapses and poor housekeeping are contributing factors (Parasram et al., 2024; Puspa & Widanarko, 2024; Jayady et al., 2024).

Fatigue, poor lighting, inappropriate footwear, and pressure to meet production targets further increase accident likelihood. Studies show these factors diminish alertness and impair safety compliance, particularly in tasks requiring high mobility (Ramdan et al., 2021).

- Burns

Burns resulting from contact with hot surfaces, uncontrolled flames, or hydrocarbon explosions typically lead to injuries. Offshore installations lacking adequate emergency preparedness and containing combustible materials exacerbate these issues. Deficiencies in process safety and inadequate danger detection systems contribute to numerous burn-related

incidents (Brkić & Praks, 2021; Tayab et al., 2023).

- Electrocution

In oil service activities, electrocution poses a constant danger, particularly in areas with high-voltage equipment and ageing infrastructure. Studies link these occurrences to inadequate grounding, insufficient electrical safety training, and corporate irresponsibility (Parasram et al., 2024; Wingate et al., 2023). Supervisory lapses and equipment mismanagement further heighten the risk (Puspa & Widanarko, 2024).

- Equipment Failures

Major accident causes have been found to include equipment failures such as valve ruptures, hoist breakdowns, and pipe bursts. These can sometimes result in amputations and crush injuries, among other painful consequences. All of these are enmeshed in larger supervisory and organisational failures, with root causes including deferred maintenance, design defects, and human error (Wingate et al., 2023; Alrbaihat, 2023; Puspa & Widanarko, 2024).

- Chemical Exposure

Due to inadequate containment measures or insufficient ventilation, refining and maintenance activities often expose workers to chemicals. Exposure to hazardous by-products can lead to skin and respiratory issues. Poor hazard communication and regulatory non-compliance also contribute to these exposures (Guida et al., 2020; Alrbaihat, 2023).

Orr (2022) presents a thematic and narrative examination of the offshore oil and gas safety landscape, particularly in the U.S. Gulf Coast. Although it lacks a systematic empirical approach, the research provides insightful analysis of physical and psychological hazards, emphasising solitude, mental fatigue, and delayed emergency response as primary risk amplifiers. The author advocates for comprehensive safety models, including mental health frameworks and integrated risk controls encompassing operations.

Puspa and Widanarko (2024) analyse the fundamental causes of recordable injuries by applying the Human Factors Analysis and Classification System for the Oil and Gas Industry (HFACS-OGI). The researchers conducted a retrospective study of incident records to categorise accidents into four layers of causation: Unsafe Acts, Preconditions for Unsafe Acts, Unsafe Supervision, and

Organisational Influences. The findings reflect a complex interplay of frontline errors, supervisory negligence, and systemic organisational deficiencies, paralleling Reason's Swiss Cheese Model. The HFACS-OGI model may exhibit comparable multidimensional risk patterns in the occupational landscape of Port Harcourt.

Effective safety management in high-risk industries such as oil servicing requires a holistic approach beyond behaviour-based interventions. Puspa and Widanarko (2022) emphasise that mitigating workplace accidents necessitates integrated safety strategies encompassing human, supervisory, and organisational dimensions. Real-time feedback, adaptive training, and institutional responsibility are three key factors that influence sustainable safety performance. However, their focus on a single case and reliance on secondary data limit generalisability. In unstable environments like Nigeria, excluding HFACS-OGI Level 5 (external influences) is particularly noteworthy.

This emphasis on organisation aligns with Hopkins (2009), who pointed to hidden organisational elements as forerunners of industrial catastrophes. Zacchaeus et al. (2023) identified poor regulatory compliance and deteriorating infrastructure as major risk concerns in Nigeria's oil industry. In contrast, Ezenwa (2021) attributed occupational accidents primarily to behavioural non-compliance, an assertion this current study interrogates by embedding behaviour within broader systemic failings. The structural lens employed also corresponds with the original HFACS model by Shappell and Wiegmann (2000), which was later adapted to oil and gas contexts.

In the context of the United States, Parasram, Socias-Morales, and Reichard (2022) conducted a large-scale longitudinal analysis of OSHA's Severe Injury Reports (2015–2022), highlighting disparities in injuries across oil and gas sub-industries using the NAICS classification. Contract workers in oil well servicing (NAICS 213112) were most affected, with upper extremity injuries accounting for 43% of the 2,101 severe cases. Their findings indicate the systemic exclusion of contract workers from formal safety systems. Although methodologically rigorous, the study lacked qualitative insights and excluded non-OSHA jurisdictions, limiting its contextual relevance.

Zacchaeus et al. (2023) further contribute by applying a semi-quantitative, ISO 45001-informed, risk-based

modelling framework to assess hazards in Nigeria's oil and gas sector. They identified critical risks such as infrastructure decay, technical failures, and insecurity through expert surveys and structured hazard checklists. Their study supports the growing utilisation of expert-driven modelling approaches in high-risk settings (Ajayi & Oyedele, 2020; Ogbonna & Ugochukwu, 2019). However, drawbacks include dependence on personal interpretation, a lack of subgroup analysis, and inadequate longitudinal validation. Despite these limitations, Zacchaeus et al.'s work supports the current research by emphasising the need for systematic diagnosis and organised interventions in accident prevention. However, this research aims to extend the framework by incorporating behavioural and cognitive dimensions into accident causality analysis, adding nuance through Human Factors Theory (Reason, 1990; Nwankwo et al., 2021).

## Results

The study adopted the Taro Yamane (1967) formula for determining the sample size, presented as follows.  $n =$

$$n = \frac{N}{1 + N(e)^2}$$

Where:

$e$  = Level of precision (0.05 @ 95% confidence level)

$N$  = Projected Population  $n$  = Sample size

1 = Constant

$$n = \frac{36,618}{1 + 36,618(0.05)^2}$$

$n = 400$

The formula gave a total of 400 persons as the study sample. Therefore, the study's sample size is 400 respondents in the selected communities.

Table 1: Companies population and Sample Size.

| S/N | Sampled Companies | Population | Sample Size |
|-----|-------------------|------------|-------------|
| 1   | Dutch Shell       | 12, 071    | 152.42      |
| 2   | Exxon Mobil       | 10, 200    | 128.80      |
| 3   | ENI/Agip          | 9, 407     | 118.78      |
|     | Total             | 31,678     | 400         |

Source: Researchers Computation (2025)




Figure 1. Companies' population and Sample Size.

Table 2: Questionnaire Distribution and Retrieval.

| S/N | Sampled Companies | No. of Questionnaires Distributed | No. Returned |
|-----|-------------------|-----------------------------------|--------------|
| 1   | Dutch Shell       | 134                               | 133          |

|   |              |            |            |
|---|--------------|------------|------------|
| 2 | Exxon Mobil  | 133        | 133        |
| 3 | ENI/Agip     | 133        | 129        |
|   | <b>Total</b> | <b>400</b> | <b>395</b> |

Source: Researchers Computation (2025)




Figure 2. Questionnaire Distribution and Retrieval.

Table 3: Number of Years in Service of Respondents

| Number of Years of Service | Frequency | Percentage (%) |
|----------------------------|-----------|----------------|
| Below 2Yrs                 | 34        | 8.5            |
| 2-5yrs                     | 48        | 12             |

|             |     |       |
|-------------|-----|-------|
| 6-8yrs      | 44  | 11    |
| 8-10yrs     | 202 | 50.5  |
| Above 10yrs | 72  | 18    |
| Total       | 400 | 100.0 |

Source: Researcher Fieldwork (2025).




Figure 3. Number of Years in Service of Respondents







Figure 4. Percentage Distribution of Employees by Years of Service

Table 4: Types of workplace accidents in oil companies in the Study Area

| Accident Type                        | Frequency | Percentage (%) |
|--------------------------------------|-----------|----------------|
| Vehicle Collisions                   | 53        | 13.25          |
| Struck-By/ Caught-In/ Caught-Between | 50        | 12.5           |
| Explosions and Fires                 | 48        | 12             |
| Confined Spaces                      | 58        | 14.5           |
| Ergonomic Hazards                    | 33        | 8,.25          |
| High Pressure Lines                  | 30        | 7.5            |
| Equipment failures                   | 60        | 15             |
| Electrical                           | 38        | 9.5            |
| Hazardous Energy.                    | 30        | 7.5            |
| Total                                | 400       | 100            |

Source: Researcher Fieldwork (2025).



**Figure 4. Types of Workplace Accidents in Oil Companies**

**Table 5: Causes of workplace accidents**

| Answer Alternatives | Frequency | Percentage (%) |
|---------------------|-----------|----------------|
| Slips               | 33        | 8.25           |
| Trips and Falls     | 34        | 8.5            |
| Overexertion        | 38        | 9.5            |
| Exposure to hazards | 23        | 5.75           |
| Inadequate training | 26        | 6.5            |
| Safety protocols    | 16        | 4              |
| Stress              | 16        | 6.75           |
| Burnout and fatigue | 28        | 7              |
| Lack of Preparation | 32        | 8              |
| Distractions        | 29        | 7.25           |

|                   |            |            |
|-------------------|------------|------------|
| Shortcuts         | 36         | 9          |
| Overconfidence    | 26         | 6.5        |
| Poor Housekeeping | 28         | 7          |
| Lifting           | 14         | 3.3        |
| Poor Lighting     | 10         | 2.5        |
| Violence          | 11         | 2.75       |
| <b>Total</b>      | <b>400</b> | <b>100</b> |




Figure 5. Causes of Workplace Accidents

Table 6: Effect of workplace accidents on the health of the workers.

| Description                                                                                                      | Frequency | Percentage (%) |
|------------------------------------------------------------------------------------------------------------------|-----------|----------------|
| Burns                                                                                                            | 33        | 8.25           |
| Fractures                                                                                                        | 38        | 9.5            |
| Strains                                                                                                          | 40        | 10             |
| Respiratory issues                                                                                               | 26        | 6.5            |
| Irregular heartbeat and nervous system impairment from<br>Hydrogen sulfide poisoning before collapsing and dying | 25        | 6.25           |
| Electrocution                                                                                                    | 28        | 7              |
| Amputation                                                                                                       | 30        | 7.5            |
| Back injury                                                                                                      | 43        | 10.75          |
| Spinal cord injury                                                                                               | 48        | 12             |
| Head trauma                                                                                                      | 29        | 7.25           |
| Hearing loss                                                                                                     | 32        | 8              |
| Eyes injury                                                                                                      | 28        | 7              |
| Total                                                                                                            | 400       | 100            |

Source: Researcher Fieldwork (2025).




Figure 6. Effect of workplace accidents on the health of the workers

## Discussion

This study investigated the prevalence, trends, causes, and health consequences of occupational accidents among workers in selected oil servicing companies in Port Harcourt, Nigeria. The results provide important empirical data for regional and international discussions on worker safety in high-risk industries, including oil and gas. The findings confirm important hypotheses in the Human Factors Theory (Reason, 1990) and support the modification of multidimensional safety models like the Human Factors Analysis and Classification System for the Oil and Gas Industry (HFACS-OGI) (Shappell & Wiegmann, 2000).

- **Prevalence and Patterns of Workplace Accidents**

Equipment failure (15%), confined space incidents (14.5%), vehicle collisions (13.25%), and struck-by/caught-between injuries (12.5%) were among the most frequently reported occupational accidents. These results reflect global trends in oil servicing activities, where mechanical failure and safety in restricted spaces are major concerns (Waqar et al., 2023; Wingate et al., 2023). The significant occurrence of confined space accidents emphasises deficiencies in atmospheric monitoring and emergency response procedures, as Fernández-Muñiz et al. (2021) noted. The reappearance of equipment-related failures confirms the findings of Parasram et al. (2022), whose longitudinal OSHA-based investigation highlighted machinery-related trauma as an ongoing risk in well-servicing sub-sectors.

- **Causal Factors and Organizational Dynamics**

Overexertion (9.5%), shortcuts (9%), trips and falls (8.5%), slips (8.25%), and distractions (7.25%) were identified by the study as significant causes of workplace accidents. Systemic shortcomings, such as inadequate training (6.5%), poor housekeeping (7%), and stress or fatigue (6.75%), exacerbate these issues. These findings support the assertions of Hopkins (2009) and Puspa and Widanarko (2024) that accident causation tends to stem from the complex interactions among human, supervisory, and organisational factors, rather than isolated behavioural failures. The alignment with Reason's (1990) Swiss Cheese Model is evident, particularly where latent organisational factors permit active failures.

Importantly, the findings differ from Ezenwa (2021),

who attributes behavioural non-compliance to the frequency of accidents in Nigeria. Instead, the present results identify behavioural lapses within broader systematic and institutional flaws, supporting a more integrative theoretical perspective. This reinforces recent calls to reconsider causality in accident analysis, shifting from punitive, individual-focused models to comprehensive, systems-based approaches (Jiang et al., 2020; Lin et al., 2021).

- **Health Effects of Workplace Accidents**

Spinal cord injuries (12%), back injuries (10.75%), strains (10%), and fractures (9.5%) were among the most frequently reported health effects. These injuries are often caused by falls, heavy lifting, and equipment failure, reflecting the physical demands of oil servicing work conditions. Emphasising the need for improved hazardous gas monitoring and electrical safety protocols, hydrogen sulphide poisoning (6.25%) and electrocution (7%) also posed significant hazards to worker safety. These results echo Alrbaihat (2023) and Parasram et al. (2022), who linked inadequate danger communication systems to serious health consequences. Moreover, the frequency of upper body and spinal injuries corresponds with findings from OSHA investigations, which indicated unreasonably high rates of musculoskeletal and upper extremity trauma arising from well-servicing activities (Parasram et al., 2022). Such accidents diminish output and give rise to long-term medical issues, supporting previous findings on the economic and health impact of occupational hazards in the sector (Suseno, 2025; Zhao et al., 2023).

The empirical findings of this study closely align with risk-based frameworks, including those proposed by Zacchaeus et al. (2023), who utilised ISO 45001-guided modelling to identify significant hazards in Nigerian oil operations. Their emphasis on infrastructure deterioration, equipment wear, and insufficient oversight corroborates the results of the current study. Conversely, this study incorporates cognitive, behavioural, and emotional factors in accident causation, further enhancing the HFACS framework's relevance in Nigeria. The study also affirms Nwankwo and Adegoke's (2018) concerns regarding the systematic exclusion of contract workers from formal safety systems—an oversight recognised in U.S.-based research (Parasram et al., 2022). This exclusion



highlights the necessity for inclusive, tiered training strategies, comprehensive contractor integration into safety standards, and the efficacy of organisational safety culture. When implemented in this context, the human factors theory serves as a robust analytical tool for understanding the interplay of cognitive, emotional, and organisational elements. It facilitates the transition from reactive to proactive safety systems and provides a basis for predictive modelling in accident prevention.

This study establishes that workplace accidents in Port Harcourt's oil servicing sector are prevalent and multifaceted. These incidents stem from human actions, organisational shortcomings, equipment failures, and regulatory deficiencies. The results enhance the existing literature on workplace safety by providing localised, evidence-based insights and corroborating global frameworks like HFACS and the Human Factors Theory. Grounded in a systems-oriented understanding of safety, targeted measures are essential for risk mitigation and health protection in Nigeria's oil servicing sector.

## Conclusion

This paper examined the prevalence, trends, reasons, and health effects of workplace accidents within selected oil servicing companies in Port Harcourt, Nigeria, using a strong empirical basis and the theoretical underpinnings of the Human Factors Theory and the HFACS-OGI framework. The results reveal a notable frequency of structurally complex accidents in this high-risk sector, primarily driven by behavioural and organisational factors. Reflecting a dangerous operational environment exacerbated by lapses in safety monitoring, inadequate training policies, and a systematic underemphasis on preventative measures, these accidents include equipment failures, confined space incidents, and vehicle collisions. The inconsistent application of occupational safety regulations has a human cost, evident from the incidence of spinal injuries, musculoskeletal disorders, and chemical exposures among workers.

This study helps to close the recognised gap between legal frameworks and their actual application in the Nigerian oil servicing sector. The research, which highlights the continuous gap between policy expectations and organisational reality, supports comprehensive safety solutions addressing significant behavioural aspects, including emotional stress,

cognitive decision-making limits, the need for worker empowerment, and structural deficiencies. Improving workplace safety in this industry ultimately requires a paradigm shift from reactive incident management to proactive, systems-oriented preventative techniques. By advocating for inclusive, adaptive safety systems based on the socio-technical complexity of the Port Harcourt industrial ecosystem, this paper makes a fundamental contribution to academic research and organisational change. Future studies should incorporate longitudinal analyses, qualitative ethnographic studies, and broader stakeholder involvement to further contextualise and build on these findings.

## Recommendations

The following five focused suggestions aim to reduce accident frequency, enhance compliance, and cultivate a sustainable safety culture. They are based on the findings of this study and are relevant to occupational safety in Port Harcourt's oil servicing sector.

- Establish a Unified Safety Management System in line with ISO 45001

Oil servicing firms should develop a comprehensive Safety Management System (SMS) that includes risk assessment, hazard identification, incident mitigation, and continuous improvement. To ensure regulatory compliance and early warning capabilities, the SMS must incorporate digital technologies for real-time monitoring, structured near-miss reporting, and documentation of actual occurrences.

- Mandate Inclusive and Behaviour-Based Safety Training

All staff members, including contractors and subcontractors, must undergo the necessary safety training that addresses both technical and behavioural aspects. The training should encompass decision-making under pressure, situational awareness, emotional resilience, exhaustion, and stress management. This approach integrates cognitive-behavioural theories that are vital in high-risk environments, such as oilfields.

- Extend HSE Protocols to Subcontract and Contract Workers

Businesses must develop inclusive Health, Safety, and Environment (HSE) systems that cater to all types of employees. Subcontracted labour, often disproportionately affected by accidents, should receive equal access to personal protective equipment (PPE), daily safety briefings, emergency exercises, and incident reporting systems.

- Use Advanced Monitoring and Hazard Detection Technologies

Invest in and utilise innovative technologies, including confined space monitors, vibration sensors, mobile hazard-reporting apps, and atmospheric gas detectors. These tools are essential for managing risks associated with hydrogen sulphide exposure, equipment failures, and electrical hazards, particularly in environments with ageing infrastructure.

- Enhance Regulatory Compliance, Reporting Culture, and Supervision

A qualified HSE officer should monitor each operating shift; routine internal and external safety audits should be institutionalised. Encouraging prompt incident and near-miss reporting relies on a non-punitive reporting culture. Oil companies should also collaborate with regulatory bodies such as DPR and NOSDRA to update outdated safety laws and adapt foreign models like HFACS to the local Port Harcourt context for culturally and operationally relevant execution.

## References

1. Abanum, A., & Alabere, I. (2020). Compliance evaluation of IOGP Life-Saving Rules amongst petroleum industry workers in Delta State, Nigeria. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 14(10), 35–43. <https://www.researchgate.net/publication/344498891>
2. Adakporia, M., & Ajiroghene, R. (2020). AI-enabled classification systems in occupational reporting. *Nigerian Journal of Occupational Health*, 14(2), 88–96. <https://www.njoh.org/adakporia2020.pdf>
3. Adeyemo, M. (2024). Injury prevalence in Nigeria's construction sector: Comparative risks across regions. *Nigerian Journal of Occupational Safety*, 19(1), 22–33.
4. Adimora, N. U., Arokoyu, S. B., & Lawal, O. (2023). Perception of safety culture amongst Nigerian oil and gas workers in Rivers State. <https://www.researchgate.net/publication/370806208>
5. Ajayi, S., & Oyedele, L. (2020). Expert-driven hazard modelling in high-risk construction environments. *Journal of Safety Science*, 130, 104877.
6. Ajmal, M., Isha, A., Sabir, A., & Nordin, S. (2021). Management commitment to safety and safety training: mediating role of safety compliance for occupational accidents a study on oil and gas industry of malaysia. *Academic Journal of Social Sciences (Ajss)*, 5(3), 303-318. <https://doi.org/10.54692/ajss.2021.05031608>
7. Akpan, S. S., & Esang, A. U. (2024). Employer's liability insurance and employee's value added in Nigeria's petroleum industry (2015–2023). ResearchGate Preprint.
8. AKYILDIZ, C. (2023). Integration of digitalization into occupational health and safety and its applicability: a literature review. *The European Research Journal*, 9(6), 1509-1519. <https://doi.org/10.18621/eurj.1352743>
9. Alrbaihat, A. (2023). Systemic causes of mechanical failures in petrochemical industries: A design-integrated view. *Journal of Process Safety Engineering*, 11(2), 101–115.
10. Anderson, P., Lim, C. H., & Fong, K. (2023). Cognitive failures and industrial safety: Behavioral predictors of workplace incidents in repetitive environments. *Journal of Occupational Safety and Ergonomics*, 29(1), 45–60. <https://doi.org/10.1080/10803548.2023.1882457>
11. Awini, A., Opoku, D., Ayisi-Boateng, N., Osarfo, J., Sulemana, A., Yankson, I., ... & Newton, S. (2023). Prevalence and determinants of occupational injuries among emergency medical technicians in northern ghana. *Plos One*, 18(4), e0284943. <https://doi.org/10.1371/journal.pone.0284943>
12. Bashar, H. M., Okeke, I. J., & Nwachukwu, L. (2024). Organizational culture and safety compliance in high-risk industries. *Global Journal of Industrial Risk Management*, 5(2), 45–59.
13. Bena, R. A. (2019). The role of industrial development in Nigeria's transformation from oil to cities: The case of Birnin Kebbi. In A. A. Okoye & A.

- N. Chikere (Eds.), *Industrial and Urban Growth Policies at the Sub-National Level* (pp. 206–221). IGI Global. <https://www.igi-global.com/chapter/the-role-of-industrial-development-in-nigerias-transformation-from-oil-to-cities/222085>
14. Brkić, A., & Praks, P. (2021). Emergency preparedness and incident severity in offshore hydrocarbon facilities. *Safety Science*, 140, 105288. <https://doi.org/10.1016/j.ssci.2021.105288>
15. Carroll, J. S., & Fahlbruch, B. (2023). Beyond binary classifications: A continuum approach to occupational accident severity. *Journal of Risk Research*, 26(1), 1–19.
16. Chen, Y., Zhang, L., & Li, X. (2020). System dynamics modeling for subcontractor safety management in construction. *Journal of Construction Engineering and Management*, 146(4), 04020023. [https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0001781](https://doi.org/10.1061/(ASCE)CO.1943-7862.0001781)
17. Chukwuma, P. N. (2025). Correlate of outsourcing and organizational productivity in the plastic industry: A study of Innoson Technical and Industrial Company, Emene, Enugu, Nigeria [PDF]. Academia.edu. <https://www.academia.edu/download/70121733/D2309031827.pdf>
18. Cookey-Gam, I. F., Ogbonda, P. I., Ogba, A. A., & Bruce, I. (2023). Prevalence and frequency of psychological stress indicators among occupational workers in the oil and gas industries in Port Harcourt. <https://www.researchgate.net/publication/390009794>
19. Corporate Affairs Commission. (2018). *Industrial workforce statistics bulletin*. Federal Government of Nigeria.
20. Cox, T., & Griffiths, A. (2021). Psychological aspects of occupational injury: Expanding classification systems. *Occupational Medicine*, 71(2), 103–110. <https://doi.org/10.1093/occmed/kqaa194>
21. Dyreborg, J., Thorsen, S. V., Madsen, C. U., & Hasle, P. (2024). Effectiveness of OHS classification systems in predicting workplace injury patterns. *Safety Science*, 165, 106910. <https://doi.org/10.1016/j.ssci.2024.106910>
22. Echendu, A., & Georgeou, N. (2021). 'Not going to plan': Urban planning, flooding, and sustainability in Port Harcourt City, Nigeria. *Urban Forum*, 32(4), 495–515. <https://doi.org/10.1007/s12132-021-09420-0>
23. Edem, M. J., Etuk, H. O., & Bassey, B. E. (2021). Assessment of safety management practices in Nigeria's oil and gas industry. *British Journal of Environmental Sciences*, 9(2), 55–67.
24. Edward-Odoi, C. A. D., & Jaja, S. A. (2016). Workplace safety practices and organisational adaptation in the Nigerian petroleum industry. *International Journal of Humanities and Social Science*, 6(8), 112–122. <https://www.researchgate.net/publication/305108912>
25. Ehiaguina, E., Nnadi, B. C., & Rangarajan, R. (2024). Safety culture assessment in petroleum industry: Cross-sectional survey of workers' safety performance in the Niger Delta Region, Nigeria. *Safety in Extreme Environments*. <https://doi.org/10.1007/s42797-024-00104-z>
26. Ekong, A. E., & Ogunbanwo, B. M. (2023). Impact of process safety culture on employee safety motivation in selected oil and gas industries in Nigeria. *Journal of Scientific Research and Reports*, 29(4), 46–60. <https://www.researchgate.net/publication/377019907>
27. Esan, B. A., Ogundele, T. S., & Folarin, A. M. (2020). Environmental risks and occupational safety: A Nigerian oil industry analysis. *Journal of Environmental Protection*, 11(4), 88–99.
28. Esitikot, E. L., & Obadimu, C. O. (2024). Impacts of safety incentive programmes on occupational health and safety in the Nigerian oil and gas industry. *American Journal of Business, Management, Economics and Banking*, 8(2), 34–47. <https://www.researchgate.net/publication/385746768>
29. European Agency for Safety and Health at Work (EU-OSHA). (2021). *European statistics on accidents at work (ESAW) methodology*. Retrieved from <https://osha.europa.eu/en>
30. Eyetan, T., & Ozabor, F. (2021). Oil spills deposits

- effect on soil physicochemical properties in Port Harcourt metropolis: Implication for agricultural planning. *Journal of Management and Social Sciences*, 10(1), 44–58. Retrieved from <https://www.credence-publishing.com/journal/uploads/archive/202316728507286415202772.pdf>
31. Ezeaku, P. I., & Ogundele, A. T. (2020). Characterization of alluvial soils under mangrove vegetation in the Niger Delta for agricultural use. *Water, Air, & Soil Pollution*, 231(2), 84. <https://doi.org/10.1007/s11270-024-07209-y>
32. Ezeiofor, T. I. N. (2014). Risk assessment re-appraisals for potential hazards in the operational environment and facilities of petroleum refining and distribution industry in Nigeria. *Occupational Medicine & Health Affairs*, 2(6), 1–6. <https://www.researchgate.net/publication/276235845>
33. Ezenwa, A. O. (2021). Cultural drivers of occupational accidents in Nigeria's oil sector. *African Journal of Occupational Health*, 19(3), 151–163.
34. Ezenwa, A. O. (2021). Occupational safety research in sub-Saharan Africa: Gaps and priorities.
35. *International Journal of Workplace Health*, 9(1), 45–59.
36. Farooq, S. (2025). Categorizing equipment-related incidents in predictive models. *International Journal of Industrial Ergonomics*, 95, 103445. <https://doi.org/10.1016/j.ergon.2024.103445>
37. Genty, M. A., Abiola, K. O., & Chukwu, J. E. (2022). Training efficacy and safety behavior in oil servicing companies. *Journal of Petroleum Safety Engineering*, 14(1), 77–86.
38. George, I. I., Nawawi, M. G. M., Mohd, Z. J., & Farah, B. S. (2024). Environmental effects from petroleum product transportation spillage in Nigeria: A critical review. *Environmental Science and Pollution Research*. <https://link.springer.com/article/10.1007/s11356-023-31117-z>
39. Giraud, P., & Montmayeul, R. (2022). Functional damage as a classification in offshore operations. *Journal of Loss Prevention in the Process Industries*, 75, 104650.
40. Goetsch, D. L. (2019). *Occupational Safety and Health for Technologists, Engineers, and Managers*. Pearson.
41. Gomaa, A. E., et al. (2015). Occupational slips, trips, and falls in hospital settings: Contributing factors and injury trends. *Journal of Safety Research*, 52, 85–92. <https://doi.org/10.1016/j.jsr.2014.12.002>
42. Grabowski, M., & Roberts, K. H. (2020). Cascading failures and system accidents in maritime and offshore energy operations. *Safety Science*, 128, 104754. <https://doi.org/10.1016/j.ssci.2020.104754>
43. Guida, M., et al. (2020). Chemical risk assessment in petroleum refineries: Health outcomes of prolonged exposure. *International Archives of Occupational and Environmental Health*, 93(6), 753–765.
44. Hollnagel, E. (2021). Resilience engineering and the limits of conventional accident models. In *Safety-I and Safety-II* (2nd ed., pp. 107–126). CRC Press <https://doi.org/10.1201/9781315607465>
45. Hopkins, A. (2009). *Failure to Learn: The BP Texas City Refinery Disaster*. CCH Australia.
46. Ibe, C. F., & Ugochukwu, I. M. (2024). Soil stratification and land-use implications in deltaic levees: A study of Port Harcourt, Nigeria. *Nigerian Agricultural and Soil Journal*, 21(1), 66–81.
47. International Labour Organization. (2021). *International labour standards on occupational safety and health*. <https://www.ilo.org/global/standards/subjects-covered-by-international-labour-standards/occupational-safety-and-health/lang-en/index.htm>
48. Jayady, A. A., et al. (2024). Vulnerability of contract workers in oil fields: Safety enforcement disparities. *Journal of Petroleum Safety*, 8(1), 40–52.
49. Jiang, W., Han, W., Zhou, J., & Huang, Z. (2020). Analysis of human factors relationship in hazardous chemical storage accidents. *International Journal of Environmental Research and Public Health*, 17(17), 6217. <https://doi.org/10.3390/ijerph17176217>
50. Juhari, N. H., Mohd, Z. A., & Rahman, R. A. (2023). Economic implications of workplace accidents in developing countries: Evidence from Malaysia's oil and gas industry. *Journal of Risk Management and*



- Insurance, 45(3), 122–136.  
<https://doi.org/10.21315/jrmi2023.45.3.9>
51. Juhari, S. N., et al. (2023). Fall accidents among construction workers in Malaysia: Patterns and countermeasures. *Journal of Construction Safety Management*, 15(3), 73–89.
52. Khairuddin, A., Lee, S. Y., & Nor, M. F. (2022). Using NLP for accident report classification in high-risk industries. *Expert Systems with Applications*, 197, 116678.
53. Leveson, N. (2020). *Engineering a safer world: Systems thinking applied to safety*. MIT Press.
54. Lin, C., Xu, Q., & Huang, Y. (2021). Applications of fta–hfacs for analyzing human and organization factors in electric misoperation accidents. *Applied Sciences*, 11(19), 9008.  
<https://doi.org/10.3390/app11199008>
55. Liu, S., Nkrumah, E., Akoto, L., Gyabeng, E., & Nkrumah, E. (2020). The state of occupational health and safety management frameworks (ohsmf) and occupational injuries and accidents in the ghanian oil and gas industry: assessing the mediating role of safety knowledge. *Biomed Research International*, 2020(1). <https://doi.org/10.1155/2020/6354895>
56. Lundberg, J., Rollenhagen, C., & Hollnagel, E. (2020). The role of categorization in accident analysis.
57. *Safety Science*, 122, 104537.  
<https://doi.org/10.1016/j.ssci.2019.104537>
58. Maduabuchi, E., Ugbebor, J. N., & Oyet, G. I. (2023). Analysis of critical risk factors in five iconic major accidents in petroleum and chemical industries. *Journal of Scientific Research and Reports*, 35(5), 88–103.  
<https://www.researchgate.net/publication/375577524>
59. Mohammadfam, I., Moghimbeigi, A., & Zarei, E. (2021). Lean safety: Integrating lean manufacturing principles in occupational health. *Journal of Safety Research*, 73, 250–260.  
<https://doi.org/10.1016/j.jsr.2020.12.004>
60. Nowakowska, A., & Pajęcki, T. (2022). Economic impact of accident classification systems across firm sizes. *Journal of Occupational Safety and Ergonomics*, 28(3), 341–353.
61. Nwankwo, C., & Adegoke, A. (2018). Contractor safety integration in oilfield operations. *Nigerian Journal of Industrial Safety*, 5(2), 83–94.
62. Nwankwo, C., Arewa, A., Theophilus, S., & Esenowo, V. (2021). Analysis of accidents caused by human factors in the oil and gas industry using the hfacs-ogi framework. *International Journal of Occupational Safety and Ergonomics*, 28(3), 1642–1654.  
<https://doi.org/10.1080/10803548.2021.1916238>
63. Nwankwo, C., Omodu, E., & Egesi, I. (2021). Emotional strain and safety outcomes in oilfield workers: A human factors perspective. *Journal of Occupational Psychology*, 17(2), 89–106.
64. Nwaogazie, I. L., & Ekwemuka, J. N. (2015). Assessment of workplace stressors in oil & gas companies in Port Harcourt. *International Journal of Current Advanced Research*.  
<https://www.researchgate.net/publication/281864436>
65. Nwaogazie, I. L., Oyamienlen, O., & Patricks, C. (2023). Risk matrix as a tool for risk analysis for work-related hazard in offshore installation in the oil and gas industry. *ResearchGate Preprint*.  
<https://www.researchgate.net/publication/368595644>
66. Nwaogazie, I. L., Oyamienlen, O., & Patricks, C. (2023). The effect of demographic factors on work-related injuries in the oil and gas industry in the Niger Delta Region.
67. O'Connor, A., Peckham, T., & Seixas, N. (2020). Considering work arrangement as an “exposure” in occupational health research and practice. *Frontiers in Public Health*, 8.  
<https://doi.org/10.3389/fpubh.2020.00363>
68. Obiora, C. A., Ani, K. J., Chukwuemeka, E., & Ezech, L. N. (2023). Motivation-satisfaction-productivity triad: The moderating role of safety culture among employees in oil and gas firms in Niger Delta.  
<https://www.researchgate.net/publication/372441806>
69. Ogbonna, I., & Ugochukwu, U. (2019). Using expert elicitation to assess pipeline safety risks. *Safety in Nigeria Journal*, 12(1), 44–56.
70. Ogundele, A. A., Musa, L. T., & Eke, F. E. (2022).

- Behavior-based safety in Nigeria's high-risk industries. *African Journal of Industrial Psychology*, 17(4), 122–139.
71. Okeke, K. K., Mode, A. W., Anigbogu, E. C., & Umeadi, I. M. (2023). Source rock potential, palynofacies depositional environment synthesis and structural traps of the Enugu Formation Southeastern Region, Nigeria. *Arabian Journal of Geosciences*, 16, 784. <https://doi.org/10.1007/s12517-023-11418-w>
  72. Okezie, E. O., Nwaogazie, I. L., & Chinemerem, P. (2023). Organizational factors and safety performance levels among local and multinational oil and gas companies in the Niger Delta region of Nigeria. ResearchGate Preprint. <https://www.researchgate.net/publication/368234287>
  73. Okoye, P. U., & Okolie, K. C. (2020). Reactive versus preventive safety in Nigeria's oil sector: A critical review. *Safety Science Journal*, 65(3), 201–218.
  74. Olaniran, H. F., & Akinbile, B. F. (2023). A comparative analysis of construction and oil and gas industry's health and safety practices in Nigeria. *Frontiers in Engineering and Built Environment*, 3(2). <https://doi.org/10.1108/febe-01-2023-0001>
  75. Omofowa, S., AKHIDUE-OGOGO, R., Nwachukwu, C., & Lam, T. (2021). Best practices for employees' workplace health and safety mediating role of organizational culture. <https://doi.org/10.4108/eai.7-6-2021.2308606>
  76. Ononogbo, C., & Ohwofadjeke, P. O. (2023). Effect of human activities on the environment: Case study of oil facilities security services in Nigeria. *International Journal of Advanced Environmental Research*, 5(1), 112–125. <https://www.researchgate.net/publication/375994952>
  77. Onyekachi, R. I. (2022). Safety practices in indigenous oil servicing companies in the Niger Delta. *Journal of Occupational Risk Management*, 14(2), 112–130.
  78. Orisakwe, O. E. (2021). Crude oil and public health issues in Niger Delta, Nigeria: Much ado about the inevitable. *Environmental Research*, 194, 110688. <https://doi.org/10.1016/j.envres.2021.110688>
  79. Orr, R. (2022). The human side of offshore oil and gas safety: A thematic exploration. *Journal of Workplace Health & Safety*, 70(6), 255–267.
  80. Ozabor, F., Wekpe, V. O., & Tega, E. (2024). Spatial assessment of pollutants concentration in air and soils impacted by industrial wastes in Lagos State, Nigeria. *Environmental Research Communications*, 6(3), 035008. <https://doi.org/10.1088/2515-7620/ad5790>
  81. Parasram, R., et al. (2024). Root cause evaluation of trip and shock hazards in oil refineries. *Safety & Reliability Journal*, 18(1), 112–126.
  82. Parasram, R., Socias-Morales, C., & Reichard, A. A. (2022). Severe occupational injuries in the U.S. oil and gas extraction industry, 2015–2022. *Journal of Occupational and Environmental Medicine*, 64(11), 853–864. <https://doi.org/10.1097/JOM.0000000000002631>
  83. Phelps, R., Jansz, J., Chang, P., & Ghosh, A. (2024). The post-harmonisation health and safety challenges of construction industry managers. *Safety*, 10(4), 98. <https://doi.org/10.3390/safety10040098>
  84. Priyanka, D., & Basaria, I. (2023). Application of HIRARC methodology in Indonesian manufacturing plants: A practical approach to accident reduction. *International Journal of Safety Engineering*, 17(2), 77–89. <https://doi.org/10.1016/j.ijse.2023.04.002>
  85. Puspa, S. & Widanarko, B. (2022). Multilayered safety management in industrial operations. *International Journal of Occupational Safety*, 11(1), 25–40.
  86. Puspa, W. W., & Widanarko, B. (2024). Causal analysis of recordable injuries in oil and gas industries using HFACS-OGI. *Journal of Occupational Safety and Ergonomics*, 30(2), 175–188.
  87. Putri, W. A., Santoso, B., & Arifin, M. (2024). Standard operating procedures adherence and safety outcomes in Southeast Asian industrial plants. *Asian Journal of Occupational Health*, 12(1), 31–44. <https://doi.org/10.32798/ajoh.2024.12.1.031>
  88. Reason, J. (1990). *Human Error*. Cambridge University Press.
  89. Rosness, R., & Antonsen, S. (2024). Acute and



- cumulative injuries: Time-based classification in industrial safety. *Safety Science*, 169, 106989.
90. Salminen, S. (2023). Severity ratings and injury classification in industrial incident analysis. *Journal of Safety Research*, 86, 170–178. <https://doi.org/10.1016/j.jsr.2023.01.007>
  91. Saragih, A. H., & Fitriani, R. (2024). Risk control frameworks in high-risk work environments: Evaluating the HIRARC model in practice. *Indonesian Journal of Industrial Safety*, 11(1), 14–28. <https://doi.org/10.2991/ijis.v11i1.2024.2>
  92. Shappell, S. A., & Wiegmann, D. A. (2000). The Human Factors Analysis and Classification System–HFACS. Office of Aviation Medicine Report, FAA.
  93. Sothivanan, S., Gunasegaran, P., & Lin, C. (2025). Organizational safety culture and accident prevention: Evidence from heavy industries. *Safety Science Quarterly*, 9(2), 89–105. <https://doi.org/10.1016/j.ssci.2025.02.008>
  94. Sudiarno, A., & Maharani, N. (2024). Hierarchy of controls as a framework for workplace safety in Southeast Asia's oil servicing firms. *Journal of Occupational Risk Analysis*, 6(4), 101–115. <https://doi.org/10.3390/jora6040101>
  95. Tayab, A. R., et al. (2023). Hydrocarbon process safety failures: A statistical review of incident reports. *Process Safety and Environmental Protection*, 169, 241–250.
  96. Weber, M., & Krahé, B. (2022). Reporting biases in workplace safety statistics: A case study in subcontracted oil operations. *Journal of Safety Research*, 80, 120–128. <https://doi.org/10.1016/j.jsr.2021.11.003>
  97. Wingate, T., et al. (2023). Electrocution hazards in aged oilfield infrastructure: A North American review. *Energy Safety Review*, 17(2), 95–109.
  98. Zacchaeus, S., Ugbebor, J., Agbagwa, B., & Orikpete, B. (2023). Risk-based modelling in Nigerian oil and gas operations: An integrated hazard assessment approach. *Nigerian Journal of Safety and Engineering*, 10(1), 13–31.
  100. Zailani, S., Olumide, A., & Musa, R. (2022). Compliance behavior in the oil and gas industry: A Nigerian perspective.